

# IMPACT STRENGTH OF MATERIALS

W. Johnson, University of Manchester Institute of Science and Technology

Edward Arnold, 1972

## CONTENTS

### **1. Elementary One-Dimensional Elastic Stress Waves in Long Uniform Bars Due to Impact**

1. Definitions. Propagation of a compressive pulse. Solution to the wave equation. Elastic longitudinal wave speed. Expression for the intensity of stress propagated. Propagation of a torsional pulse along a circular prismatic bar. Equation for the propagation of flexural pulses in beams of arbitrary but uniform cross-section.

9 Alternative approaches for finding the expressions concerning longitudinal and torsional wave propagation (i) Longitudinal waves (ii) Torsional waves. Wave transmission along a uniform bar constrained to deform under conditions of plane strain. Wave transmission along a bar constrained to have zero transverse deformation. Torsional wave transmission approached via longitudinal wave transmission.

15 Coaxial collision of two bars of identical cross-sectional area but unequal impedance: the change in particle speed. Impact of a square-ended solid cylinder with a sheet of water.

16 Wave speed through stressed material and the wave speed through the space occupied by the material in the unstressed state.

18 Reflection and superposition of waves.

20 Normal collinear impact of identical bars. Normal impact of two bars of identical material and of unequal length moving at equal speeds. Central elastic impact of spheres.

27 Energy and momentum transmission through three identical bars. Impact between three bars of unequal impedance: an example of energy and momentum transmission. Space-time diagram for the collinear impact of bars (i) Two identical bars (ii) Three identical bars (iii) Four bars. Impact stress and uniform stress in a bar loaded by a falling weight.

34 Stress generated in two uniform bars of unequal cross-sectional area and dissimilar material when undergoing coaxial impact. Stress transmission in shafts having a discontinuity in cross-sectional area and for bars composed of different materials. Example of the history of longitudinal stress wave changes due to a discontinuity in shaft cross-sectional area. Longitudinal waves in an approximated conical bar.

46 Torsional stress transmission in bars composed of different material and/or having a discontinuity in cross-sectional area. Propagation of torsional waves through a bar having a length of reduced cross-sectional area; the pulse smoother. Stress changes in a bar due to lateral restraint over a finite length.

50 References.

### **2. Applications of Elementary One-Dimensional Stress Wave Theory**

51 Longitudinal impact of a rigid mass on one end of a long uniform bar perfectly fixed at its far end. (i) Reduction to zero of the stress between the striker and the bar (ii) Stress between striker and rod for  $M_2/M_1 = 1$ . (iii) The stress at the fixed end of the rod when  $M_2/M_1 = 1$ .

55 Rigid striker impinging on one end of a free rod.

(i) The situation at  $t = 2l_2/c_2$ . (ii) The distribution of energy in the bar when  $l_2/c_2 < t \leq 2l_2/c_2$ .

57 Pile driver and the weight falling vertically onto a collar at the end of a long thin bar.

58 Momentum traps. Hopkinson pressure bar.

60 Propagation of compressive stress waves in a conical bar (i) The coned bar (ii) Analysis.

63 Spalling or scabbing in bars and flat plates. Multiple scabbing.

68 Multiple spalling in a concrete bar. Scabbing in rocks. Bar fracture: multiple spalling and necking.

73 Spalling in thin constant cross-section curved bars.

74 Some fracture patterns due to impulsive surface loading (i) Conical specimens (ii) Discs or plates (iii) Rectangular slabs (iv) Straight-sided thin, flat wedge-shaped plates (v) Cylindrical blocks (vi) Rectangular blocks (vii) Fracture in square section thick-walled cylinders internally loaded (viii) Fractures in hollow circular section cylinders due to internal explosions.

79 Fracturing in long thin wires due to tensile impact: the Hopkinsons' early work. Fracture patterns in glass. Water hammer. Water hammer forming. High speed liquid impact with a solid surface. Brittle fracture in one tensile test: Miklowitz' observation. Elastic impact of a short square-ended solid cylinder with a plane elastic semi-infinite medium (i) Rigid cylinder (ii) Elastic cylinder.

87 Simple elastic wave propagation in helical springs. The close-coiled helical spring (i) Extensional waves (ii) Rotational waves (iii) Piston effect. Open-coiled helical springs.

95 Buckling of rods and tubes due to impact. Impact crushing of vehicles. Dynamic thermal stress.

9i Elastic wave propagation in a thin plate.

99 References.

### **3 Elastic Stress Waves: More General Considerations**

101 Remarks on the validity of approximate theories (i) Longitudinal waves (ii) Torsional waves (iii) Flexural waves. (iv) Elastic columns under impact compression.

106 Elastic waves in an isotropic extended medium; body waves. Equations of motion in Cartesian coordinates. Application to wave propagation. Equivoluminal waves. Irrotational or dilatational waves.

110 Surface waves: Rayleigh and Love waves. Earthquake wave sequence.

111 Reflection and refraction of waves at an interface. 1. Fluid-vacuum interfaces, phase velocity. 2. Solid-vacuum interfaces (i) Reflection of a dilatational wave (ii) Reflection of an equivoluminal or S-waves. 3. Interfaces between two semi-infinite solids (i) Incident dilatational or P-waves (ii) Incident equivoluminal or S-waves.

115 Vibrations in cylindrical bars. Pochhammer equations for cylindrical bars (i) Longitudinal waves (ii) Torsional waves (iii) Flexural waves (iv) General remarks.

119 Pulse distortion due to dispersion in a solid cylinder. Propagation of a short pulse through a short cylinder.

120 References.

#### **4 Plasticity Theory and Some Quasi-Static Analyses**

121 Tensile stress, strain and strain-rate. The tension test: yield stress, flow stress, tensile strength. The tensile stress-strain curve. Logarithmic or natural strain: equations for no-volume change. Upper yield point: Luder's bands.

128 Ductile and brittle metals. Stress-strain-strain-rate temperature. Cold working: hot working. Recrystallisation. Recrystallisation and homologous temperature. The ratio of dynamic to static flow stress. The yield stress of steel at about 15 °C (i) Yield stress: tension and compression (ii) Delay times. Some proposed formulae for correlating stress, strain, strain-rate and temperature. Strain rate in relation to recrystallisation temperature. A point of reversal in compression: strain softening.

137 Idealised stress-strain, strain-rate independent behaviour.

138 Perforation of a thin plate.

140 Empirical equations for uniaxial stress-strain curves. Tensile instability.

143 Homogeneous compression. Temperature rise in the adiabatic compression or stretching of a strain-hardening material. Energy calculations in the penetration of a plate by a drift. Explosive forming of thin rings.

147 Yield criterion (i) The Tresca yield criterion (ii) The Mises yield criterion. LevyMises equations.

150 Plane-strain bending.

151 Quasi-static compression of a short cylinder of perfectly plastic material. Fast compression of a short cylinder.

155 Elastic-plastic stress distribution in thick-walled cylinders. Elastic-plastic stress distribution in thick spherical shells. Qualifications concerning spherical shell plastic expansion calculations. Pressure to expand a spherical shell of work-hardening material of infinite radius ratio. Work to expand a spherical shell. Radial speed of inner surface to achieve a given expansion in a thick spherical shell.

161 Expanding an infinitely small cavity by internal pressure in an infinite elastic-perfectly plastic spherical shell when the external pressure is zero. Dynamic expansion of a small cavity in an infinite elastic-perfectly plastic solid using a quasi-static approach. Bombs: the very high speed expansion of cylinders and spherical shells.

168 Indentation and hardness.

170 Representative stress and representative strain. Initial speed required to expand a thin spherical shell or a thin cylindrical shell to a given radius: speeds required to attain static instability strains. Elastic response of a thin spherical shell to symmetric internal blast loading.

176 Technological calculations to determine a typical initial speed of movement in the underwater explosive forming of thin circular sheet metal blanks. Plastic work done on the blank.

178 Elementary theory of plastic bending. Plastic hinges in beams. Plastic hinges in circular rings. Zig-zag structures. Portal frames. Thin wall pressure vessel subjected to internal pressure. Plastic hinges in non-circular rings.

187 Crushing a thin cylinder by axial loading. Inversion-tubes.

193 Plastic bending of thin flat plates. Annular plate clamped at its outer boundary.

196 Annular plate position fixed (zero fixing moment) at its outer periphery and free at its inner boundary. Annulus clamped along its inner boundary. Dynamic loading of an annular plate perfectly clamped along its inner boundary.

201 Plastic collapse load at large deflection (i) Simply-supported plate (ii) Peripherally clamped circular plate (iii) Peripherally clamped polygonal plate. Elastic-plastic bending of circular plates by transverse pressure in experiment. Plastic collapse of a circular pressure vessel.

208 Heat lines.

209 References.

## **5 One-Dimensional Elastic-Plastic Stress Waves in Bars**

212 Elastic-plastic waves in a long uniform bar (i) Bilinear nominal stress-strain curve: Donnell's approach (ii) General nominal stress-engineering strain curve (iii) Strain distribution in a bar carrying an elastic-plastic stress wave (iv) Particle speed required to attain a given stress level (v) Critical impact speed (vi) Shock waves and the locking medium (vii) Stress waves in bars preloaded into the plastic range: the elastic precursor (viii) Unloading waves.

219 Impact of a finite length uniform bar of elastic-linear strain-hardening material with a flat rigid anvil: use of the location diagram. Analysis of the dynamic compression of a short cylinder between a constant speed flat rigid die and a stationary die using the characteristic diagram.

229 High speed normal impact of short rigid-perfectly plastic solid cylindrical blocks with a flat rigid anvil (i) Taylor's momentum approach (ii) Basic equations (iii) Current deformed and undeformed length during deformation (iv) Profile shape (v) Time-wave position expressions (vi) Alternative simplified calculation (vii) Plastic wave speed (viii) Whiffen's experimental results. Strain-rate effects in deforming cylinders due to high speed impact at high temperature with a rigid anvil.

241 Energy method based on deformation into a frustum (i) Non-hardening material (ii) Linear strain hardening material (iii) Mean strain after impact.

243 Hawkyard's energy method (i) Energy balance equation (ii) Velocity-strain equation (iii) Relation between current undeformed length and strain (iv) Relation between current deformed length and strain (v) Terminal profile of the deformed cylinder (vi) Plastic wave speed. Work-hardening and work-softening materials.

247 Rigid striker impinging on a specimen of rigid linear work-hardening material supported by a rigid anvil.

247 References.

## **6 Impulsive Loading of Beams**

250 Introduction and historical note. Early investigations. Some assumptions.

254 Central impact of free-ended beams of finite length.

258 Position of the plastic hinge for a jet striking the end of a cantilever.

260 Plastic deformation of a constant width cantilever due to a transverse dynamic load applied at its end.

269 Dynamic loading of a uniformly thick symmetrical cantilever, triangular in plan.

271 Plastic response of a simply supported beam to an impact load at the centre: The downwards motion of OB; the rotation of OB; the rotation of AB; the extreme position of the travelling plastic hinge; the deflection of midspan.

276 Some recent work. Cantilevers subject to a uniform blast load.

280 References.

## **7 Dynamic Loading of Rings and Frames**

281 Initial position of the plastic hinges in a free thin circular ring under concentrated dynamic loading. Some experimental results (i) Lead ring falling onto a sharp indenter (ii) Anvil-supported rings hit by a sharp indenter or flat hammer (iii) Rings hit by bullets (iv) Multipoint loadings of rings (v) Impulsive loading of rings to which masses are added (vi) Impulsive loading of Perspex rings (vii) Magnetomotive loading of frames.

287 Roots-blower impeller forming.

288 References.

## **8 Dynamic Plastic Deformation of Plates**

289 Exponential shock wave loading of a free, flat, air-backed thin plate in water.

291 Annular plate subject to an impulsive load: (i) first phase; (ii) second phase; (iii) third phase.

297 Dynamic plastic deformation of a position-fixed uniform square plate at medium load: (i) medium load:  $0 < t < t_1$ ; (ii) medium load:  $t < t_1$ .

299 Dynamic deformation of thin plates clamped along their outside edges.

300 Dynamic deformation of thin spherical shells.

301 References.

## **9 Plastic Deformation in a Semi-Infinite Medium Due to Impact**

302 Introduction.  $pn^2/Y$  as an indication of behaviour regime: a damage number.

304 Slow speed indentation.

306 Penetration of a homogeneous medium by a fast moving nondeforming projectile (i) Historical (ii) Dynamic penetration of sand (iii) Dynamic penetration of a clay. (a) Short cylindrical projectile. (b) Spherical projectile. (c) Experimental results.

313 Lined-cavity or hollow charges. Fluid jet theory. Penetration of a semi-infinite medium by a jet.

321 Hypervelocity impact. Hypervelocity cavities. Influence of fineness ratio.

324 Water cannons.

325 Ultra-hypervelocity impact.

326 Surface explosions, camouflet and earth shifting.

328 References.

## **10 Plastic Deformation in Plates Due to Impact**

330 Plate penetration: general comment.

331 Perforation of plates: Ogival-ended projectiles.

333 Perforation of plates; square-ended projectiles.

336 Recent results (i) Ceramic-aluminium plate subject to normal projectile impact (ii) Some sheet penetration results.

336 High speed blanking.

338 Ultra-high speed machining

339 Bar fracture: contact demolition charges.

340 Transvelocity and hypervelocity penetration of plate. Cutting plate using shaped charges.

343 Explosive cladding and welding.

347 Laser cutting.

349 References.

## **Appendices**

351 **1** Useful Conversion Factors

352 **2** Text Tables in SI Units

355 **2 Author Index**

359 **Subject Index**

**Plates** appear between pages 148 and 149