

# **RECENT DEVELOPMENTS IN COLD FORMING**

H. LI. D. Pugh

Bulleid Memorial Lectures 1965, Vol III A & Vol III B, University of Nottingham.

## **VOLUME IIIA**

### **.INDEX**

#### **LECTURE 1**

#### **THE COLD EXTRUSION OF STEEL**

1. INTRODUCTION 1
2. INFORMATION REQUIRED ON THE PROCESS 2
3. NOMENCLATURE 3
4. EXPERIMENTAL PROCEDURES 5
5. EFFECT OF TYPE OF PRODUCT 7
6. EFFECT OF EXTRUSION RATIO 8
7. EFFECT OF CHEMICAL COMPOSITION OF STEEL 10
8. EFFECT OF DIE GEOMETRY ON THE EXTRUSION OF ROD AND TUBE 11
9. THE EFFECT OF PUNCH GEOMETRY ON THE EXTRUSION OF CANS 12
10. THE EFFECT OF BILLET LENGTH ON THE PRESSURE REQUIRED TO EXTRUDE ROD AND CAN 14
  - 10.1. Results - Billets Shorter than Two Diameters 14
  - 10.2. Results - Billets Longer than a Diameter 16
11. EFFECT OF LUBRICATION 19
12. EFFECT OF RAM SPEED 19
13. ESTIMATION OF EXTRUSION PRESSURE 20
  - 13.1. Pressures for the Extrusion of Rod through Square Dies and Can using a Flat Nosed Punch 20
  13. 2. Design Charts for the Extrusion of Rod 23
  - 13.3. Design Charts for the Extrusion of Can 24
14. COMBINED BACKWARD AND FORWARD EXTRUSION 24

14.1. Pressure for Simultaneous Extrusion	25
14.1.1, The Basic Extrusion Pressure-Residual Billet Length Characteristic	25
14.1. 2. Simultaneous Extrusion at Various Ratios	25
14.2. Flaw of Metal in Simultaneous Backward and Forward Extrusion	26
14.2.1. Free Flow Conditions	26
14,2.2. Restricted Flow Conditions	27
15. THE INJECTION UPSETTING OF ROD	27
15.1. The Flow of Metal during Injection Upsetting	28
15,2. Load-Stroke Characteristic in Injection Upsetting	30
15,3. Effect of Gap Height	30
15.4. Effect of Length of Billet Constrained within the Dies	30
16, PROPERTIES OF EXTRUDED PRODUCTS	31
16.1. Dimensions	31
16.2. Surface Finish	33
16.3. Mechanical Properties	33
17. EXTRUSION TOOLING	35
17.1. Stresses on the Punch	35
17.2, The Performance of Punches in the Extrusion of Steel Cans	37
17,2.1. Experimental Procedure	37
17.2.2 Punch Performance	40
17.2.3. Temperatures Developed during Extrusion	41
17.2.4. Product Dimensions	41
18. EXTRUSION TOOLING: DIE AND CONTAINER	42
18.1. Internal Shape	42
18,2, Pressure at the Bore	42
18,3. Construction of Container and Die	43
18,4, Design of Two-ring Container (or Die)	43

18.5. Design of a Multi-ring Container 52

REFERENCES 55

## **LECTURE 2**

### **HIGH SPEED FORMING OF METALS**

1. INTRODUCTION 1

2. EXPLOSIVE FORMING 2

3. CONTACT OPERATIONS 3

3.1. Hardening 5

3.2. Welding and Cladding 5

3.3. The Compaction of Powders 6

3.4. Engraving and Embossing 8

3.5. Metal Cutting with Explosives 8

4. STAND OFF OPERATIONS 8

4.1. Pressure on a Sheet 10

4.2. Mechanics of Deformation of a Free Formed Sheet 11

4.3. Final Deformation of Sheet 14

5. ENVIRONMENTAL PROCESS PARAMETERS IN THE EXPLOSIVE FREE BULGING OF SHEET  
16

5.1. Effect of Confinement 16

5.2. Effect of Transmission Medium 17

5.3. Effect of Liquid Surface 17

5.4. Effect of Blankholder Pressure 17

5.5. Effect of Stand Off Distance 17

6. THE EXPLOSIVE FORMING OF BLANKS INTO CLOSED DIES 18

7. PRACTICAL CONSIDERATIONS IN EXPLOSIVE FORMING 19

7.1. Applications 19

7.2. Vacuum Requirements 19

7.3. Die Considerations	20
7.4. The Transmission Medium	20
8. ELECTROHYDRAULIC FORMING OF METALS	21
8.1. Electrical Equipment	21
8.2. Forming Equipment	22
8.3. Types of Operations	23
9. FACTORS GOVERNING THE ELECTROHYDRAULIC FORMING OF METALS	23
9.1. Effect of Electrical Parameters	24
9.2. The Gap Parameters	24
9.3. Tooling Parameters	25
10. ELECTROMAGNETIC FORMING	27
10.1. Applications	27
11. FORMING BY FAST MOVING MASSES	28
11.1. Industrial High Speed Forming with Pneumatic-Mechanical Equipment	28
11.2. Experimental Studies of High Speed Forming	30
12. FORMABILITY OF MATERIALS IN HIGH SPEED PROCESSES	38
12.1. Strain to Failure	38
12.2. Comparison with Pressing	43
12.3. Variation of Ductility with Speed of Deformation	43
PROPERTIES OF PRODUCTS FORMED BY HIGH SPEED METHODS	50
13.1. Work-Hardening	51
13.2. Springback	54
13.3. Microstructure	56
13.4. Stress-Corrosion Resistance	57
13.5. Fatigue	58
REFERENCES	59

**VOLUME III B**

**INDEX**

**LECTURE 3**

**HYDROSTATIC EXTRUSION**

1. INTRODUCTION 1
2. EQUIPMENT FOR HYDROSTATIC EXTRUSION 2
3. N. E. L. APPARATUS FOR HYDROSTATIC EXTRUSION AT PRESSURES UP TO 100 TONS/IN<sup>2</sup>
  - 3.1. The High-Pressure Container 3
  - 3.2. High-Pressure Fluid Seals 3
  - 3.3. Electrical Inserts 4
  - 3.4. Measurement of Fluid Pressures 4
4. EXTRUSION TOOLING 5
5. SEALING AT THE BILLET-TOOLING INTERFACE 6
6. N. E. L. APPARATUS FOR HYDROSTATIC EXTRUSION AT PRESSURES IN EXCESS OF 100 TONS/IN<sup>2</sup> 8
7. EXPERIMENTAL PROCEDURE 10
  - 7.1. Billets 10
  - 7.2. Tooling 10
  - 7.3. Technique 10
  - 7.4. Fluids used in the High-Pressure Container 11
8. OTHER EXPERIMENTAL EQUIPMENTS FOR RESEARCH AND DEVELOPMENT ON HYDROSTATIC EXTRUSION 13
  - 8.1. The Russian Apparatus for Hydrostatic Extrusion of Pressures of up to 70 tons/in<sup>2</sup> 13
  - 8.2. The Battelle Apparatus for Hydrostatic Extrusion at Pressures of up to 110 tons/in<sup>2</sup> 13
  - 8.3. The Du Pont Apparatus for Pressures of up to 35 tons/in<sup>2</sup> 14
  - 8.4. The Pressure Technology Corporation of America Apparatus for Pressures of up to 200 tons/in<sup>2</sup> 14

8.5. The U. K. A. E. A. Apparatus for Pressures of up to 50 tons/in <sup>2</sup>	15
8.6. The A. S. E. A. (Sweden) Apparatus for Pressures up to 200 tons/in <sup>2</sup>	15
9. ANALYSIS OF EXTRUSION PRESSURE	16
10. MECHANICS OF HYDROSTATIC EXTRUSION	18
10.1. Theoretical Estimate of Redundant Work	19
10.1.1. Plane Boundaries AD and BE perpendicular to the axis	19
10.1.2. Conical Boundaries AD and BE	20
10.1.3. Spherical Boundaries AD and BE with centre at apex C	21
10.2. Experimental Estimate of Redundant Work	22
10.3. Frictional Component	24
10.4. Total Extrusion Pressure	27
11. EFFECT OF PROCESS VARIABLES	28
11.1. The Extrusion Pressure-Billet Displacement Characteristic	28
11.2. Effect of Lubricant and Billet Surface Finish	29
11.3. Effect of Billet Nose Length	34
11.4. Effect of Die Angle	35
11.5. Effect of Extrusion Ratio	37
12. PROPERTIES OF THE EXTRUDED PRODUCTS	38
12.1. Distribution of Hardness	38
12.2. Mechanical Properties	38
13. THE COLD HYDROSTATIC EXTRUSION OF A RANGE OF MATERIALS	43
13.1. Behaviour in Extrusion	43
13.1.1. Magnesium and Bismuth	49
13.1.2. Steels	49
13.1.3. Niobium, Vanadium and Tantalum	49
13.1.4. Zirconium and Titanium	50
13.2. Pressures to Extrude Various Materials	50

14. FEATURES OF HYDROSTATIC EXTRUSION	52
14.1. Absence of Container Friction and Extrusion of long billets	52
14.2. The Use of Small Angled Dies	53
14.3. Billet-Die Friction	54
14.4. Extrusion of Complex Sections	55
14.5. Thin-Walled Dies	55
14.6. Versatility of the Process	55
15. THE EXTRUSION OF LONG BILLETS AND WIRE	57
15.1. Long Billets and Wire	57
15.2. Continuous Extrusion	58
16. EXTRUSION OF COMPLEX SECTIONS AND OF VARIOUS FORMS	59
16.1. Solid and Hollow Sections	59
16.2. Twisted Sections	62
16.3. Shaped Billets	62
16.4. Extrusion of Composite Billets	62
17. HYDROSTATIC EXTRUSION AS A PRACTICAL METAL-WORKING PROCESS	63
17.1. Container Design	63
17.2. Vertical or Horizontal Design	65
17.3. Supply of High-Pressure Fluid	65
17.4. Billet Preparation	66
17.5. Warm and Hot Extrusion	66
17.6. Industrial Safety	67
APPENDIX	68
REFERENCES	70

#### **LECTURE 4**

### **MECHANICAL PROPERTIES UNDER PRESSURE AND THEIR SIGNIFICANCE IN THE FORMING METALS**

1. INTRODUCTION	1
2. SUMMARY OF WORK ON THE MECHANICAL PROPERTIES OF POLYCRYSTALLINE METALS UNDER HYDROSTATIC PRESSURE	2
2.1. Methods and Apparatus	2
2.2. Assessment of Technique	6
3. APPARATUS FOR TENSILE TESTS UNDER HYDROSTATIC PRESSURE	7
3.1. High-Pressure Equipment	7
3.2. Tensile- Testing Apparatus	8
3.3. Calibration of Load Cell	8
3.4. Strain Measurement	9
4. APPARATUS FOR COMPRESSION AND FOR TORSION TESTS UNDER HYDROSTATIC PRESSURE	10
4.1. Compression Tests	10
4.2. Torsion Testing Apparatus	11
5. MATERIALS	12
6. THE EFFECT OF PRESSURE ON DUCTILITY	13
6.1. General Results	12
6.2. Brittle to Ductile Transition in Zinc and Mazak	15
6.3. Residual Ductility after Prestrain Under Pressure	17
7. THE EFFECT OF PRESSURE ON TENSILE STRENGTH AND NECKING	18
7.1 . Necking	18
.7.2. The Effect of Pressure on Tensile Strength	18
8. THE EFFECT OF PRESSURE ON THE STRESS-STRAIN RELATIONS	19
8.1. Copper	21
8.2. Steels.	22
9. THE EFFECT OF PRESSURE ON FRACTURE STRESS	22
9.1. Mild Steel and Copper	23
9.2. Cast Iron.	23

10. THE SIGNIFICANCE OF HYDROSTATIC STRESS IN METALWORKING AND ITS APPLICATION TO THE EXTRUSION OF BRITTLE METALS 27

11. DIFFERENTIAL PRESSURE OR FLUID-TO-FLUID EXTRUSION 30

11.1. Results 30

11.2. Magnesium Alloys 31

11.3. Beryllium 31

11.4. Molybdenum; Tungsten and Chromium 32

12. THE EFFECT OF PRESSURE ON THE PROPERTIES OF EXTRUDED METALS 33

13. THE APPLICATION OF HYDROSTATIC PRESSURE TO WIRE-DRAWING 35

13.1. The Effect of Pressure on the Instability Point in Tension 36

13.2. Wire-drawing 38

14. UPSETTING AND FORGING AGAINST A HYDROSTATIC PRESSURE 41

14.1. Upsetting 41

14.2. Forging 44

15. OTHER FORMING PROCESSES 45

15.1. Deep Drawing 45

15.2. Punching 46

15.3. Bending 47

16. THE PRESSURE SOAKING OF METALS 48

16.1. Effect on Structure 49

16.2. Effect on Strength Properties 52

16.3. Effect on Ductility 54

REFERENCES 56

ACKNOWLEDGEMENTS